QUICK REFERENCE GUIDE > OM60NMTDB1

# 60cm Series 9 Minimal Compact Combi-Microwave Oven

Series 9 | Minimal

Black Glass




The speed of microwave cooking with the versatility of convection oven technology in a compact companion model, for perfect pairing.

- Generous 49L capacity, with four shelf positions
- A Wired Temperature Sensor precisely monitors cooking in real time

- Guided touchscreen cooking makes it simple to navigate cooking processes
- Wi-Fi enabled and works with the SmartHQ<sup>™</sup> app for remote control and notifications

# **DIMENSIONS**

Height	458 mm
Width	596 mm
Depth	565 mm



# **FEATURES & BENEFITS**

Cooking Flexibility

Choose from 22 functions, including four microwave-only functions, 14 traditional oven functions, and four combination functions, giving you the best microwave and convection oven technology.

#### Cook With Confidence

The 5" screen provides an intuitive guided cooking experience that helps to deliver perfect results, whether you've been cooking all your life or are just starting out.

#### Sized To Suit

A compact 60cm width means this microwave oven can be placed almost anywhere – all companion products can be installed at a convenient height to suit your kitchen design and preference.

## **Complementary Design**

With a reflective black glass finish, this Minimal style oven is well-suited to a variety of kitchen designs. It's distinctive and timeless, whether on its own or part of a matching appliance set.

# **Multi-Function Flexibility**

Each function has been tailored and tested to ensure perfect defrosting, heating and cooking.

#### Safe And Sound

The CoolTouch door is safe to touch from the outside, protecting your hands and the surrounding cabinetry.

## **SPECIFICATIONS**

# Accessories (included)

Chromed shelf runners

Glass tray

1

Grill rack

Step down wire shelf

1

QUICK REFERENCE GUIDE > OM60NMTDB1 Date: 05.09.2024 > 2

Simplified   Simplified   Chinese, Francisis   Españo   Simplified   Chinese, Francisis   Españo   Simplified   Chinese, Francisis   Chinese   Chinese, Francisis   Chinese   Chin	Wire shelf	1	Multi-language display	UK English, US	Roast + Micro (3 levels)	•
Chancety         Sabbath mode with Mehadrin certification         Vent bake spanol           Shelf positions         4         Sobbath mode with Mehadrin certification         4           Shelf positions         4         Soft close doors         Performance           Total capacity         49 L         True convection oven         ActiveVent** system           Usable capacity         38 L         True convection oven         ActiveVent** system           Locancity         True distainless steel dials with illuminated halos         ActiveVent** system         ActiveVent** system           Active steat graphitic enamel         5         Functions         Microwave power         90           Removable oven door         1         Air fry         Microwave power         90           Removable oven door inner glass         2         Bake         1         Microwave power levels         90           Removable shelf runners         2         Defrydrate         1         Performance         90           Adjustable audio and display settings         3         Fan forced         1         Power requirements         5           Aution feedback         1         Fan grill Hillor (3 levels)         1         Power requirements         5           Aution feedback         1 <td< td=""><td>Wired temperature sensor</td><td>1</td><td></td><td>English, Simplified</td><td>Slow cook</td><td>•</td></td<>	Wired temperature sensor	1		English, Simplified	Slow cook	•
Capacity         Sabbath mode with Mehadrin certification         4         Marmal appliance         Warm           Shelf positions         4         Soft close doors         1         Performance           Total capacity         49 L         True convection oven         -         Active/ent** system           Loshie capacity         38 L         True convection oven         -         Active/ent** system           Active status of aphite enamel         -         Functions         Active price ** technology         300           Active resistant graphite enamel         -         Functions         Microwave by levels         300           Removable oven door         -         Air fry         Microwave power         90           Removable shelf runners         -         Bake         -         Microwave power levels           Removable shelf runners         -         Defrost         emperature range         35 - 23           Controls         -         Fan forced         -         Microwave power levels           Adjustable audio and display settings         -         Fan forced + Micro (3 levels)         -         Power requirements           Automatic cooking/minute timer         -         Fan grill + Micro (3 levels)         -         Supply frequency         5				Chinese, Français,	Vent bake	•
Shelf positions				Espanoi	Warm	•
Shelf positions         4 b True convection owen         Performance           Otable capacity         38 b Value State Indiany (Sabel capacity)         True convection owen         1         Active Vent" system           Cleaning         Turned stainless steel dials with illuminated halfs         4 Active Vent" system         Active Vent" system           Actional capacity         Turned stainless steel dials with illuminated halfs         4 Active Vent" system         Active Vent" system           Cleaning         Turned stainless steel dials with illuminated halfs         6 Active Vent" system         Active Vent" system           Acid resistant graphite enamel         7 Performance         Gill power         300           Acid resistant graphite enamel         9 Air fry         Microwave by levels           Removable oven door         1 Air fry         Microwave power         90           Removable shelf runners         9 Bake         1 Microwave power levels         90           Removable shelf runners         1 Perfort         Perfored         1 Microwave power levels         35 - 23           Removable shelf runners         1 Perfort         Perfored         1 Microwave power levels         35 - 23           Removable shelf runners         1 Perfort         Perfored         1 Microwave power levels         4 Microwave power levels         4 Microwave power	Capacity			•		
Soft close doors   1	Shelf positions	4		•		
True convection oven   Frue detailes with illuminated   Frue detailes with illumi	·	49 L		•	Performance	
Turned stainless steel dals with illuminated helos  Functions  Cleaning  Cleaning  Acid resistant graphite enamel  Acid frowave power  Acid resistant graphite pawer  Acid resistant graphite enamel  Acid frowave power levels  Acid resistant graphite enamel  Acid frowave power levels  Acid resistant graphite enamel  Acid femovare power levels  Acid frowave power levels  Acid frowave power levels  Acid frowave power levels  Acid frowave power  Acid frowave powe	•			•	ActiveVent™ system	•
Cleaning Acid resistant graphite enamel Acid respect ename power levels  Acid resistant graphite enamel Acid respect ename power levels  Acid resistant graphite enamel Acid respect ename power levels  Acid respect ename power levels	coasie capacity	55 =		•	•	•
Cleaning         Functions         Grill power         300           Acid resistant graphite enamel         1         Functions         Microwave by levels           Removable oven door         1         Air fry         1         Microwave power         90           Removable oven door inner glass         1         Bake         1         Microwave power fevels           Removable shelf runners         2         Debrydrate         1         Temperature range         35 - 23           Power requirement         2         Power requirements         4         Misper Quiet Cooking         35 - 23           Adjustable audio and display settings         1         Fan forced         1         Power requirements           Audio feedback         1         Fan grill + Micro (3 levels)         1         Amerage         1           Automatic cooking/minute timer         1         Fan grill + Micro (3 levels)         3         Supply frequency         50           Automatic pre-set temperatures         6         Grill + Micro (3 levels)         3         Supply voltage         220-22           Celsius/Fahrenheit temperature         1         Microwave power fevels         5         Supply voltage         220-22           Electronic clock         1         Number of functio						•
Acid resistant graphite enamel   Removable oven door   Removable oven door inner glass   Removable oven door inner glass   Removable shelf runners   Defrost  Fan bake   Dehydrate  Fan bake   Controls   Adjustable audio and display settings  Audio feedback  Automatic cooking/minute timer   Automatic pe-set temperature   Celsias/Fahrenhelit temperature   Delay start   Delay start	Cleaning				·	3000 W
Removable oven door inner glass	Acid resistant graphite enamel		Functions		·	•
Removable oven door inner glass  Removable shelf runners  Defrost Defrost Dehydrate Penbydrate Penb			Air fry			900 W
Removable shelf runners  Polydrate Pen bake Pan forced Adjustable audio and display settings Audio feedback Automatic cooking/minute timer Automatic pre-set temperatures Polydrate Polydrate Polydrate Power requirements		•			·	6
Dehydrate Fan bake Fan forced Adjustable audio and display settings Audio feedback Automatic cooking/minute timer Automatic pre-set temperatures Celsius/Fahrenheit temperature Celsius/Fahrenheit temperature Delay start Electronic clock Electronic oven control Fan grize abake Fan grize		•		•		
Fan bake  Controls  Fan forced  Fan forced + Micro (3 levels)  Fan grill  Fan gri	Removable shelf runners	•		•		35 - 230°C
Controls  Adjustable audio and display settings Audio feedback Audio feedback Automatic cooking/minute timer Automatic pre-set temperatures Celsius/Fahrenheit temperature Delay start Electronic clock Electronic coven control Electronic oven control Electronic oven control Electronic oven control Electronic oven control Electronic dooking by food type and recipes Guilck start Halogen lights End forced Halogen lights Fan forced Halogen lights Fan forced Halogen lights Fan forced Fan force Fan forced Fan forced Fan forced Fan forced Fan forced Fan force Fan forced Fan forced Fan forced Fan forced Fan forced Fan force Fan forced Fan force Fan forced Fan forced Fan forced Fan forced Fan forced Fan force Fan forced Fan force Fan force Fan force Fan force Fan force F				•	Whisper Quiet Cooking	•
Adjustable audio and display settings  • Fan forced + Micro (3 levels) • Fan grill • Automatic cooking/minute timer • Fan grill + Micro (3 levels) • Fan grill + Micro (3 levels) • Supply frequency • Supply voltage • Supply volt	Controls			•		
Adjustable audio and display settings  Audio feedback  Automatic cooking/minute timer  Fan grill Fan grill Findro (3 levels)  Automatic pre-set temperatures  Grill Findro (3 levels)  Celsius/Fahrenheit temperature  Grill Findro (3 levels)  Delay start  Electronic clock  Number of functions  Electronic oven control  Pastry Bake  Popcorn  Popcorn  Popcorn  Width  Sefettive  Fan grill Findro (3 levels)  Supply requency  Supply voltage  Product dimensions  Product dimensions  Popth  Fan grill Findro (3 levels)  Food probe  Food probe  Grill Findro (3 levels)  Food functions  Popcorn  Popcorn  Findro (3 levels)  Food grobe Findro (3 levels)  Food grobe Findro (3 levels)  Food probe  Foo				•	Power requirements	
Automatic cooking/minute timer  Automatic pre-set temperatures  Grill + Micro (3 levels)  Electronic clock  Number of functions  Electronic oven control  Pastry Bake  Product dimensions  Electronic oven control  Pastry Bake  Depth  S65  Food probe  Guided cooking by food type and recipes  Popcorn  Quick start  Rapid proof  Rapid proof	Adjustable audio and display settings	•	Fan forced + Micro (3 levels)	•	rower requirements	
Automatic pre-set temperatures  • Grill • Supply voltage 220-24 Celsius/Fahrenheit temperature  • Grill + Micro (3 levels)  • Microwave cooking  Electronic clock  • Number of functions  Electronic oven control  • Pastry Bake  • Pizza bake  • Popcorn  • Popcorn  • Width   Fodd  Halogen lights  Intuitive touchscreen display  • Rapid proof	Audio feedback	•	Fan grill	•	Amperage	16 A
Celsius/Fahrenheit temperature  • Grill + Micro (3 levels)  • Microwave cooking  • Number of functions  Electronic clock  • Number of functions  Electronic oven control  • Pastry Bake  • Depth  565  Food probe  • Pizza bake  • Popcorn  • Width  596  Halogen lights  • Quick start  • Rapid proof	Automatic cooking/minute timer	•	Fan grill + Micro (3 levels)	•	Supply frequency	50 Hz
Delay start   Microwave cooking   Number of functions   Pastry Bake   Depth   Food probe   Guided cooking by food type and recipes   Halogen lights   Namicrowave cooking   Number of functions   Pastry Bake   Depth   Height   Height   Microwave cooking   Number of functions   Popton   Number of functions   Popton   Microwave cooking   Number of functions   Popton   Number of functions   Popton   Number of functions   Popton   Number of functions   Number of functions   Number of functions   Popton   Number of functions   Number of functions   Popton   Number of functions   Popton   Number of functions   Popton   Number of functions   Number of func	Automatic pre-set temperatures	•	Grill	•	Supply voltage	220-240 V
Electronic clock  Pastry Bake Picza bake Picza bake Food probe Food cooking by food type and recipes Popcorn Food probe Food probe Food type and recipes Food probe F	Celsius/Fahrenheit temperature	•	Grill + Micro (3 levels)	•		
Electronic clock  Pastry Bake  Depth  Food probe  Pizza bake  Pizza bake  Popcorn  Popcorn  Width  Food grobe  Halogen lights  Rapid proof  Rapid proof  Pastry Bake  Midth  Foeth  Food probe  Rapid proof  Popcorn  Popcorn  Rapid proof  Food probe  Popcorn  Popcorn	Delay start	•	Microwave cooking	•		
Food probe  Pizza bake Popcorn Popcorn Width Food by food type and recipes Popcorn Food probe Popcorn Popcorn Width Food by food type and recipes Popcorn Popcorn Food probe Popcorn P	Electronic clock	•	Number of functions	22	Product dimensions	
Guided cooking by food type and recipes  Popcorn  Guick start  Rapid proof  Rapid proof  Width  Width  Width  Forall	Electronic oven control	•	Pastry Bake	•	Depth	565 mm
Halogen lights  • Quick start  • Rapid proof  • Cofety:	Food probe	•	Pizza bake	•	Height	458 mm
Intuitive touchscreen display  • Rapid proof  • Cofety	Guided cooking by food type and recipes	•	Popcorn	•	Width	596 mm
Cofebu	Halogen lights	•	Quick start	•		
Roast . Safety	Intuitive touchscreen display	•	Rapid proof	•		
			Roast	•	Safety	

QUICK REFERENCE GUIDE > OM60NMTDB1 Date: 05.09.2024 > 3

Balanced oven door	•
Control panel key lock	•
CoolTouch door	•
Non-tip shelves	•
Safety thermostat	•

## Warranty

Parts and labour	2 years
------------------	---------

SKU	82644
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

2D-DWG Combination Microwave Oven



↓ Service & Warranty

Installation Guide Convection Speed Oven

J. Revit 1

↓ Rhino Combination Microwave Oven

SketchUp Combination Microwave Oven

User Guide Combination Microwave Oven

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



# A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com