

OR90SCG2X1

Freestanding Dual Fuel Cooker, 90cm

Classic

Feeding a crowd is a breeze with this stylish, 90cm
Fisher & Paykel freestanding dual fuel cooker
that lets you cook several dishes at once with its
spacious gas cooktop and generous convection oven.

Brushed Stainless Steel with black glass

A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support T 1300 650 590 W fisherpaykel.com

Dimensions

Depth	600mm
Height	898 - 946mm
Width	897mm

Features & Benefits

Multi-shelf cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door and durable cooktop trivets all add up to an exceptional, premium range.

Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large capacity oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

Easy to clean

Your cooktop simply needs a quick wipe to keep it looking good as new for years to come, as the gas cooktop is made from a single piece of stainless steel that contains spills. The oven door, its inner pane of glass and runners can also be removed for easy cleaning.

Even hea

Accurate, electronically-controlled oven heat ensures a great result every time.

Specifications

Drop down grill element

Removable oven door/s

Removable oven door/inner glass

Accessories	
Chromed shelf runners	1 set
Flat wire shelf	•
Full extension sliding shelves	Optional (part 578744)
Kick strip, stainless steel (optional)	Part 8166
Roasting Dish	•
Small pot support	1 (part 533981 cast)
Step down wire shelf	•
Wok stand	1 (part 534678)
Cleaning	
Acid resistant graphite enamel	•
Dishwasher safe trivets	•

Removable shelf runners

Controls	
Audio feedback	•
Automatic cooking/minute timer	•
Automatic pre-set temperatures	•
Bright chromed, cast zinc dials with	_
illuminated halos	•
Celsius/Fahrenheit temperature	•
Electronic clock	•
Interior light	•
Laser etched graphics	•
Precise electronic temperature control	•
Sabbath mode	•
Turned stainless steel clock buttons	•
Cooktop features	
Dishwasher safe trivets	•
Gas Cooktop- Sealed range top	•
Hob rail	•
Hob rear trim	60 mm
LPG/Natural gas compatible	•

Dual wok burner inner / outer (natural gas) Max burner power Number of burners Semi-rapid burner (LPG) x2 Semi-rapid burner (natural gas) x2 Total cooktop power Triple ring wok burner (LPG) x2 Triple ring wok burner (natural gas) x2 Triple ring wok burner (natural gas) x2 Installation cutout dimensions Depth Oven features AeroTech™ technology Automatic rapid pre-heat Electronic oven control Full extension telescopic sliding shelves Optional (part 578744) 4 x 25W halogen (2 side 8		
Dual wok burner inner / outer (natural gas) Max burner power 16.2 MJ/h Number of burners Semi-rapid burner (LPG) x2 Semi-rapid burner (natural gas) x2 Total cooktop power Triple ring wok burner (LPG) x2 Total cooktop power Triple ring wok burner (LPG) x2 Triple ring wok burner (natural gas) x2 Installation cutout dimensions Depth Oven features AeroTech™ technology Automatic rapid pre-heat Electronic oven control Full extension telescopic sliding shelves Internal light Storage compartment True Convection 16.2 MJ/h 2.5 - 6.5 MJ/h 6.5 - 14.4 MJ/h 6.5 - 14.4 MJ/h 600 mm Oven features Optional (part 578744)	Cooktop performance	
gas) Max burner power Number of burners Semi-rapid burner (LPG) x2 Semi-rapid burner (natural gas) x2 Total cooktop power Triple ring wok burner (LPG) x2 Total cooktop power Triple ring wok burner (LPG) x2 Triple ring wok burner (natural gas) x2 Total cooktop power Sa MJ/h Triple ring wok burner (LPG) x2 Triple ring wok burner (natural gas) x2 6.5 - 14.4 MJ/h Installation cutout dimensions Depth 600 mm Width 900 mm Oven features AeroTech™ technology Automatic rapid pre-heat Electronic oven control Full extension telescopic sliding shelves Optional (part 578744) 4 x 25W halogen (2 side 8 linternal light Storage compartment True Convection	Dual wok burner inner / outer (LPG)	2.4 - 16.2 MJ/h
Max burner power Number of burners Semi-rapid burner (LPG) x2 Semi-rapid burner (natural gas) x2 Total cooktop power Triple ring wok burner (LPG) x2 Triple ring wok burner (natural gas) x2 Triple ring wok burner (natural gas) x2 Triple ring wok burner (natural gas) x2 Installation cutout dimensions Depth Oven features AeroTech™ technology Automatic rapid pre-heat Electronic oven control Full extension telescopic sliding shelves Optional (part 578744) 4 x 25W halogen (2 side 8 linternal light Storage compartment True Convection	Dual wok burner inner / outer (natural	0.4.10.0 M L/h
Semi-rapid burner (LPG) x2 Semi-rapid burner (natural gas) x2 Total cooktop power Triple ring wok burner (LPG) x2 Triple ring wok burner (natural gas) x2 Triple ring wok burner (natural gas) x2 Triple ring wok burner (natural gas) x2 Installation cutout dimensions Depth Width Oven features AeroTech™ technology Automatic rapid pre-heat Electronic oven control Full extension telescopic sliding shelves Optional (part 578744) 4 x 25W halogen (2 side & Internal light Storage compartment True Convection	gas)	2.4 - 16.2 MJ/n
Semi-rapid burner (LPG) x2 Semi-rapid burner (natural gas) x2 2.5 - 6.5 MJ/h Total cooktop power Triple ring wok burner (LPG) x2 Triple ring wok burner (natural gas) x2 6.5 - 14.4 MJ/h Installation cutout dimensions Depth Width Oven features AeroTech™ technology Automatic rapid pre-heat Electronic oven control Full extension telescopic sliding shelves Internal light Storage compartment True Convection 2.5 - 6.5 MJ/h 6.5 - 14.4 MJ/h 6.5 - 14.4 MJ/h 600 mm 600	Max burner power	16.2 MJ/h
Semi-rapid burner (natural gas) x2 Total cooktop power Triple ring wok burner (LPG) x2 Triple ring wok burner (natural gas) x2 6.5 - 14.4 MJ/h Installation cutout dimensions Depth Width 900 mm Oven features AeroTech™ technology Automatic rapid pre-heat Electronic oven control Full extension telescopic sliding shelves Internal light 2 top) Storage compartment True Convection	Number of burners	5
Total cooktop power Triple ring wok burner (LPG) x2 6.5 - 14.4 MJ/h Triple ring wok burner (natural gas) x2 6.5 - 14.4 MJ/h Installation cutout dimensions Depth Width 900 mm Oven features AeroTech™ technology Automatic rapid pre-heat Electronic oven control Full extension telescopic sliding shelves Internal light Storage compartment True Convection 58 MJ/h 6.5 - 14.4 MJ/h 600 mm 600	Semi-rapid burner (LPG) x2	2.5 - 6.5 MJ/h
Triple ring wok burner (LPG) x2 6.5 - 14.4 MJ/h Triple ring wok burner (natural gas) x2 6.5 - 14.4 MJ/h Installation cutout dimensions Depth 600 mm Width 900 mm Oven features AeroTech™ technology • Automatic rapid pre-heat Electronic oven control Full extension telescopic sliding shelves Optional (part 578744) 4 x 25W halogen (2 side 8 linternal light Storage compartment True Convection •	Semi-rapid burner (natural gas) x2	2.5 - 6.5 MJ/h
Triple ring wok burner (natural gas) x2 6.5 - 14.4 MJ/h Installation cutout dimensions Depth 600 mm Width 900 mm Oven features AeroTech™ technology • Automatic rapid pre-heat • Electronic oven control • Full extension telescopic sliding shelves Optional (part 578744) 4 x 25W halogen (2 side 8 linternal light 2 top) Storage compartment • True Convection •	Total cooktop power	58 MJ/h
Installation cutout dimensions Depth 600 mm Width 900 mm Oven features AeroTech™ technology • Automatic rapid pre-heat • Electronic oven control • Full extension telescopic sliding shelves Optional (part 578744) 4 x 25W halogen (2 side 8 linternal light 2 top) Storage compartment • True Convection •	Triple ring wok burner (LPG) x2	6.5 - 14.4 MJ/h
Depth 600 mm Width 900 mm Oven features AeroTech™ technology Automatic rapid pre-heat Electronic oven control Full extension telescopic sliding shelves Optional (part 578744) 4 x 25W halogen (2 side 8 Internal light 2 top) Storage compartment True Convection	Triple ring wok burner (natural gas) x2	6.5 - 14.4 MJ/h
Oven features AeroTech™ technology Automatic rapid pre-heat Electronic oven control Full extension telescopic sliding shelves Optional (part 578744) 4 x 25W halogen (2 side 8 Internal light 2 top) Storage compartment True Convection	Installation cutout dimensions	
Oven features AeroTech™ technology Automatic rapid pre-heat Electronic oven control Full extension telescopic sliding shelves Optional (part 578744) 4 x 25W halogen (2 side 8 Internal light 2 top) Storage compartment True Convection	Depth	600 mm
AeroTech™ technology Automatic rapid pre-heat Electronic oven control Full extension telescopic sliding shelves Internal light Storage compartment True Convection • • • Optional (part 578744) 4 x 25W halogen (2 side 8) 2 top)	Width	900 mm
Automatic rapid pre-heat Electronic oven control Full extension telescopic sliding shelves Optional (part 578744) 4 x 25W halogen (2 side 8 Internal light 2 top) Storage compartment True Convection	Oven features	
Electronic oven control Full extension telescopic sliding shelves Optional (part 578744) 4 x 25W halogen (2 side 8 Internal light 2 top) Storage compartment True Convection	AeroTech™ technology	
Full extension telescopic sliding shelves Optional (part 578744) 4 x 25W halogen (2 side 8 2 top) Storage compartment True Convection	Automatic rapid pre-heat	•
A x 25W halogen (2 side 8 Internal light 2 top) Storage compartment True Convection	Electronic oven control	•
Internal light 2 top) Storage compartment True Convection		•
2 top) Storage compartment True Convection		• Optional (part 578744)
True Convection •		Optional (part 578744) 4 x 25W halogen (2 side &
	Full extension telescopic sliding shelves	
Twin cavity fans	Full extension telescopic sliding shelves	4 x 25W halogen (2 side 8
	Full extension telescopic sliding shelves Internal light Storage compartment	4 x 25W halogen (2 side 8

Oven functions	_
Bake	•
Classic Bake	•
Fan Bake	•
Fan forced	•
Fan grill	•
Grill	•
Number of Functions	9
Pastry Bake with Pizza mode	•
Rapid proof	•
Roast	•
Oven performance	
CoolTouch door	Quadruple glazed
Grill	4500 W
Shelf positions	6
Total oven capacity	140 L
Usable capacity	121 L
Power requirements	
AMP draw	22 A
Supply frequency	50 Hz
Supply voltage	220 - 240 V

Safety	
Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
CoolTouch door	•
Flame failure system	•
Non-tip shelves	•
Spill containment	2.6L
Style And Series	
Product Style	Classic
Warranty	
Warranty	2 years
SKU	81267

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2018

Other product downloads available at fisherpaykel.com

fisherpaykel.com